

## COBRA® NAUTIC STAINLESS STEEL

45 mm

Art.no.: F145AVF




Made of stainless steel and designed for ultimate safety performance in the most severe oxidizing environments. Ideal for application like offshore rigging, navy, coast guard, scuba, marine hardware, bosun supplies, yachting, and whatever or wherever else nature demands the ultimate in performance.

### use cases:

PPE, Fashion, air sports, tactical, equipment

## Technical specifications

<b>BODY</b>	<b>Material:</b> stainless steel <b>Color:</b> colorless <b>Finish:</b> polished
<b>CLIPS</b>	<b>Material:</b> stainless steel <b>Color:</b> colorless <b>Finish:</b> polished
<b>BAR</b>	<b>Material:</b> stainless steel <b>Color:</b> colorless <b>Finish:</b> polished
<b>BREAKING LOAD TENSILE STRENGTH</b>	9 kN
<b>BREAKING LOAD LOOP CONFIGURATION</b>	18 kN
<b>WEIGHT</b>	109 g
<b>RECOMM. WEBBING WIDTH MALE PART</b>	45 mm
<b>RECOMM. WEBBING WIDTH FEMALE PART</b>	45 mm
<b>SLOT WIDTH MALE PART</b>	16 mm
<b>SLOT WIDTH FEMALE PART</b>	5 mm

<b>OUTER DIMENSION LENGTH</b>	76 mm
<b>OUTER DIMENSION WIDTH</b>	65 mm
<b>OUTER DIMENSION DEPTH</b>	8 mm
<b>WEBBING SLOT MALE PART</b>	adjustable
<b>WEBBING SLOT FEMALE PART</b>	non-adjustable
<b>SIZE OF CLIPS</b>	standard
<b>COUNTRY OF ORIGIN</b>	Austria
 <b>Patented</b>	
<b>STANDARDS</b>	MIL-STD-810F Method 509.4, EN358:2018-11 (partial), EN ISO 9227



