

## COBRA® PRO STYLE SNAKEBITE HYBRID

**45/25 mm**

Art.no.: FY4525KVF-LS



The new COBRA® PRO STYLE SNAKEBITE safety buckle is made of premium aluminum alloy and features our proven COBRA® PRO STYLE locking mechanism. It comes with an additional clamp that locks the adjustable belt strap in the desired position and prevents possible "creeping" of the webbing.

Belt straps can be easily adjusted, but once they have been set to the right length, they may still loosen a bit during regular loading and unloading. Enter the COBRA® PRO STYLE SNAKEBITE which is equipped with a serrated clamp.

When folded down, the clamp and its teeth lock the webbing and prevent the strap from loosening, even under movement. Once the buckle and clamp are engaged, you can still pull the strap tighter, making the belt system extremely comfortable and safe.

Thanks to its patented locking mechanism and high breaking strength, the COBRA® PRO STYLE SNAKEBITE meets the highest safety requirements. In combination with the right size belt strap, the minimum guaranteed load capacity is 9 kN tensile strength and 18 kN in loop configuration.

The SNAKEBITE clamp is manufactured from high-strength polymer in an injection molding process. Its special design makes it extremely robust and resilient.

This version of the COBRA® PRO STYLE SNAKEBITE is intended for the use with belt systems of 45 mm and 25 mm webbing width. Thanks to the adjuster bar on the male part of the buckle, the webbing length can be adjusted. On the non-adjustable female part, the webbing needs to be sewn in.

### use cases:

equipment, Fashion, PPE, tactical

## Technical specifications

<b>BODY</b>	<b>Material:</b> aluminium <b>Color:</b> black <b>Finish:</b> ktl-coated
<b>CLIPS</b>	<b>Material:</b> brass <b>Color:</b> colorless <b>Finish:</b> polished

<b>BAR</b>	<b>Material:</b> stainless steel <b>Color:</b> colorless <b>Finish:</b> polished
<b>SNAKEBITE</b>	<b>Material:</b> POM <b>Color:</b> black
<b>BREAKING LOAD TENSILE STRENGTH</b>	9 kN
<b>BREAKING LOAD LOOP CONFIGURATION</b>	18 kN
<b>WEIGHT</b>	70 g
<b>RECOMM. WEBBING WIDTH MALE PART</b>	45 mm
<b>RECOMM. WEBBING WIDTH FEMALE PART</b>	25 mm
<b>SLOT WIDTH MALE PART</b>	12 mm
<b>SLOT WIDTH FEMALE PART</b>	4 mm
<b>OUTER DIMENSION LENGTH</b>	73 mm
<b>OUTER DIMENSION WIDTH</b>	58 mm
<b>OUTER DIMENSION DEPTH</b>	16 mm
<b>WEBBING SLOT MALE PART</b>	adjustable, Snakebite
<b>WEBBING SLOT FEMALE PART</b>	non-adjustable
<b>SIZE OF CLIPS</b>	standard
<b>COUNTRY OF ORIGIN</b>	Austria
 <b>Patented</b>	

