

## HMS RONDO

### 3-WAY+ AUTOLOCK SAFELOCK

**aluminium, anodized**

Art.no.: KR52B-Y



Our HMS RONDO combines simple handling with utmost safety. Its design prevents the buildup of sharp edges from rope friction. The round profile allows for fluid rope management, making the HMS the ideal carabiner for all-round use.

The HMS RONDO has a 3-WAY PLUS AUTOLOCK mechanism. It belongs to the group of carabiners, which feature the highest locking safety. In the closed position, it works like a regular 3-way autolock carabiner. To open the carabiner, you simply lift, twist and push. The PLUS function adds a fully locked position that makes unintentional opening virtually impossible. The new, revised version offers improved handling of the locking functions.

#### use cases:

sports climbing, ice climbing, mountain sports, PPE, tactical

## Technical specifications

<b>BODY</b>	<b>Material:</b> aluminium <b>Color:</b> yellow <b>Finish:</b> anodized
<b>GATE</b>	<b>Material:</b> aluminium <b>Color:</b> black <b>Finish:</b> anodized
<b>SLEEVE</b>	<b>Material:</b> aluminium <b>Color:</b> colorless <b>Finish:</b> anodized
<b>WEIGHT</b>	89 g
<b>LENGTH</b>	110 mm
<b>WIDTH</b>	72 mm
<b>MIN. BREAKING LOAD IN LONGITUDINAL DIRECTION</b>	23 kN

<b>MIN. BREAKING LOAD IN THE MINOR AXIS</b>	10 kN
<b>MIN. BREAKING LOAD WITH OPEN GATE</b>	7 kN
<b>LOCK</b>	3-way+ autolock
<b>GATE OPENING</b>	26 mm
<b>COUNTRY OF ORIGIN</b>	Austria
<b>EAN CODE</b>	9006381027101
<b>STANDARDS</b>	EN 12275:2013 (H), EN 362:2004 (B), UIAA 121

